

NEVER MISS A BEAT

WITH  
TrustFord Fleet



# TrustFord Fleet in 2025

2025 is a big year for us at TrustFord Fleet. We've grown the business hugely over the last few years and this year, have significantly bolstered our structure to allow us to stay ahead and to continue to deliver that personal, tailored, 360 degree approach which we've championed in looking after you, our customers.

This change should allow us to provide an even better service as we go forward and grow again over the next few years. Having strength, experience and energy in the team has served us well and I'm delighted that all of our recent senior appointments have come from within the fleet team, recognising their contribution and maintaining those key points of contact.

## **So, what does that mean for you?**

Put simply, the entire national team now operates as one and with one focus which is to look after you. Whether it's pre-sale, during the sales process or in aftersales, your TrustFord Fleet team has never been better placed to cater for your needs. Whether your fleet is small or large we provide national distribution and logistics as well as comprehensive aftersales support and mobile servicing. Our experienced team can create tailored solutions to suit all business needs.

Any member of the team will be happy to explain the improvements which have been made which should only build on what is already a great service and relationship.

You'll also see that the timing of these changes is excellent to allow us to support the most comprehensive range of Passenger and Commercial vehicles we've ever offered, with almost every model now available in a range of traditional and electrified powertrains.

Hopefully, I'll see many of you soon and I am sure that the team will be in touch and only too happy to provide you with details of all the new product and to discuss how we can move forward given the exciting changes we have made for 2025.

Thanks as always,  
Mark Wilkie





At **TrustFord** we take pride in the 360 degree support we provide throughout the life of your fleet. We aim to minimise your downtime and, as an award winning fleet team, consistently drive the standard in customer care.

## Mobile Servicing:

As well as offering vehicle servicing at sites in the UK, including Northern Ireland, we have a network of mobile service vans that can support fleet needs throughout the UK. All work is carried out by highly trained Ford-approved mechanics, using Ford-approved equipment and fitting Ford genuine parts.




# Expanding Footprint

## National Representation

- TrustFord dealerships
- Parts Plus
- Distribution centres
- Mobile Servicing

Coverage down the spine of the UK




# TrustFord and FordPro

Ford Pro™ Software is a suite of software applications, unlocking data and real-time visibility on all your fleet vehicles.

By turning live vehicle health and telematics data into actionable information, we'll help you improve with:

- Vehicle uptime
- Safety & security
- Manage your electric fleet
- Improve overall productivity



# Telematics

Simple, complimentary fleet monitoring.  
Inside every new Ford commercial vehicle, there's a wealth of powerful data ready to help fleet operators maximise uptime.

Ford Telematics Essentials is a complimentary web-based fleet management tool which provides a window into that data, showing the health status of your connected Ford vehicles and displaying live alerts when something needs attention.



## Complimentary and connected

- Just the essentials, no charge
- Manage medium to large fleets
- Available for vehicles with a FordPass Connect modem



## Unlock health data

- Get live vehicle health alerts
- View real-time health status
- Manage repair workflows



## Connect to FORD Live

- Link into Ford's uptime system
- Share data with your Dealer
- Get faster, smarter repairs



# Charging

Every customer has a different charging need.

Ford Pro™ gives you a broad range of home, work depot and public charging options as well as the connectivity tools to maximise vehicle productivity.



# Aftersales

## Working around your schedule

Ford Pro™ service is Ford's Commercial Vehicle Service Promise, committed to minimising downtime of your vehicle and expense to your business, at your convenience.

At **TrustFord** we offer a range of services to keep your business on the road:


- Extended opening hours
- Smart support
- Express service
- Video check
- Collection and delivery
- Mobile service



# Funding

Making the right decision about financing your vehicle is as important as getting the right vehicle for the job. At **TrustFord**, we have a range of financing solutions to suit your business and a specialist team to support you.

Whether you are considering vehicles ownerships, leasing, or need an experienced team with fleet finance experience, Ford Pro Finance is here to support you.



# Our Products




# Ford Puma




|                  |                                  |
|------------------|----------------------------------|
| Body style       | 1                                |
| Powertrains      | Petrol                           |
| Transmissions    | Manual, Automatic                |
| AWD option       | No                               |
| Series           | Titanium, ST-Line, ST Line X, ST |
| Production plant | Craiova, Romania                 |




Agate  
Black




Cactus  
Grey




Desert  
Island Blue



Fantastic  
Red



Frozen  
White



Solar  
Silver

# Ford Focus




|                  |                                           |
|------------------|-------------------------------------------|
| Body style       | 2 (5 door, Estate)                        |
| Powertrains      | Petrol                                    |
| Transmissions    | Manual, Automatic                         |
| AWD option       | No                                        |
| Series           | Titanium, Titanium X, ST-Line, ST Line X, |
| Production plant | Saarlouis, Germany                        |




Agate  
Black




Azura  
Blue




Chrome  
Blue



Desert  
Island Blue




Fantastic  
Red




Frozen  
White




Magnetic  
Grey



Mean  
Green



Moondust  
Silver



Race  
Red


# Ford Kuga




|                  |                                      |
|------------------|--------------------------------------|
| Body style       | 1                                    |
| Powertrains      | Petrol, PHEV                         |
| Transmissions    | Manual, Automatic                    |
| AWD option       | Yes                                  |
| Series           | Titanium, ST-Line, ST-Line X, Active |
| Production plant | Valencia, Spain                      |




Agate  
Black




Bursting  
Green




Desert  
Island Blue



Frozen  
White



Magnetic  
Grey



Solar  
Silver


# Ford Puma Gen-E




|                  |                    |
|------------------|--------------------|
| Body style       | 1                  |
| Powertrains      | Electric           |
| Transmissions    | Manual / Automatic |
| AWD option       | Yes                |
| Series           | Select, Premium    |
| Production plant | Craiova, Romania   |




Agate  
Black




Electric  
Yellow




Digital  
Aqua Blue



Fantastic  
Red



Frozen  
White



Solar  
Silver


# Ford Explorer




|                  |                 |
|------------------|-----------------|
| Body style       | 1               |
| Powertrains      | Electric        |
| Transmissions    | Automatic       |
| AWD option       | Yes             |
| Series           | Select, Premium |
| Production plant | Cologne         |




Agate  
Black




Arctic  
Blue




Blue My  
Mind



Frozen  
White



Magnetic  
Grey



Rapid  
Red


# Ford Capri




|                  |                 |
|------------------|-----------------|
| Body style       | 1               |
| Powertrains      | Electric        |
| Transmissions    | Automatic       |
| AWD option       | Yes             |
| Series           | Select, Premium |
| Production plant | Cologne         |




Agate  
Black




Blue My  
Mind




Frozen  
White



Magnetic  
Grey



Rapid  
Red



Vivid  
Yellow


# Ford Mustang Mach-E




|                  |                     |
|------------------|---------------------|
| Body style       | 1                   |
| Powertrains      | Electric            |
| Transmissions    | Automatic           |
| AWD option       | Yes                 |
| Series           | Select, Premium, GT |
| Production plant | Cuautitlán, Mexico  |




Absolute  
Black




Eruption  
Green




Glacier  
Grey



Grabber  
Blue




Grabber  
Yellow



Rapid  
Red



Star  
White



Vapour  
Blue


# Ford Tourneo Courier




|                  |                   |
|------------------|-------------------|
| Body style       | 1                 |
| Powertrains      | Petrol, Diesel    |
| Transmissions    | Manual, Automatic |
| AWD option       | No                |
| Series           | Titanium, Active  |
| Production plant | Craiova, Romania  |




Agate  
Black




Bursting  
Green




Cactus  
Grey




Desert  
Island Blue



Fantastic  
Red




Frozen  
White




Solar  
Silver

# Ford Tourneo Connect

|                  |                   |
|------------------|-------------------|
| Body style       | 1                 |
| Wheelbase        | L1, L2            |
| Powertrains      | Petrol, Diesel    |
| Transmissions    | Manual, Automatic |
| AWD option       | No                |
| Series           | Titanium, Active  |
| Production plant | Poznan, Poland    |




Boundless  
Blue




Dusky  
Silver




Frozen  
White




Graphite  
Grey




Ink  
Black




Lava  
Red



Maple  
Red



Midnight  
Blue




Stardust  
Silver

SVO paint available

# Ford Tourneo Custom

|                  |                        |
|------------------|------------------------|
| Body style       | 1                      |
| Wheelbase        | L1, L2                 |
| Powertrains      | Diesel, PHEV, Electric |
| Transmissions    | Manual, Automatic      |
| AWD option       | Yes                    |
| Series           | Trend, Limited         |
| Production plant | Kocaeli, Turkey        |



SVO paint available

# Ford Transit Courier




|                  |                                       |
|------------------|---------------------------------------|
| Body style       | 1                                     |
| Wheelbase        | 1                                     |
| Roof height      | 1                                     |
| Drive            | FWD                                   |
| Powertrains      | Diesel, Petrol, Electric              |
| Transmissions    | Manual, Automatic                     |
| AWD Option       | No                                    |
| Series           | Leader, Trend, Limited, Active, sport |
| Production plant | Craiova, Romania                      |


SVO paint available




Agate  
Black




Cactus  
Grey




Desert  
Island Blue



Fantastic  
Red



Frozen  
White



Solar  
Silver


| Technical Data                                                                                                                                                                  |         |                            |                |                                     |                                               |                                | Dimensions<br>(mm unless stated otherwise)              |         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------------------------|----------------|-------------------------------------|-----------------------------------------------|--------------------------------|---------------------------------------------------------|---------|
| Bodystyle                                                                                                                                                                       | Series  | Engine                     | Transmission   | GVM /<br>with GVM<br>upgrade<br>kit | Max<br>Payload/<br>with GVM<br>Upgrade<br>Kit | Tow<br>capacity<br>braked (kg) | External                                                |         |
|                                                                                                                                                                                 |         |                            |                |                                     |                                               |                                | Vehicle Length / Active Series                          |         |
| Leader                                                                                                                                                                          |         |                            |                |                                     |                                               |                                | Body Width With Mirrors                                 | 2076    |
|                                                                                                                                                                                 |         |                            |                |                                     |                                               |                                | Body Width With Folded Back Mirrors                     | 1876    |
| Van                                                                                                                                                                             | Leader  | 1.0L EcoBoost 100PS        | 6-speed manual | 1910/2085                           | 657/847                                       | 1000                           | Vehicle Height (Unladen) 15" Wheels                     | 1827    |
| Van                                                                                                                                                                             | Leader  | 1.0L EcoBoost 125PS        | 7-speed auto   | 1940/2115                           | 677/849                                       | 1000                           | Vehicle Height (Unladen) 17" Wheels                     | 1850    |
| Van                                                                                                                                                                             | Leader  | 1.5L EcoBlue 100PS         | 6-speed manual | 1965/2135                           | 672/839                                       | 1100                           | Wheelbase                                               | 2692    |
|                                                                                                                                                                                 |         |                            |                |                                     |                                               |                                | Turning Circle (Kerb To Kerb)                           | 10.7    |
| Trend                                                                                                                                                                           |         |                            |                |                                     |                                               |                                | Turning Circle (Wall To Wall)                           | 11.1    |
| Van                                                                                                                                                                             | Trend   | 1.0L EcoBoost 125PS        | 6-speed manual | 1910/2085                           | 646/818                                       | 1000                           | Cargo                                                   |         |
| Van                                                                                                                                                                             | Trend   | 1.0L EcoBoost 125PS        | 7-speed auto   | 1940/2115                           | 646/820                                       | 1000                           |                                                         |         |
| Van                                                                                                                                                                             | Trend   | 1.5L EcoBlue 100PS         | 6-speed manual | 1965/2135                           | 632/799                                       | 1100                           | Cargo Length At Floor                                   | 1802    |
| Van                                                                                                                                                                             | Trend   | 43kWh Electric Drive 136PS | 1-speed auto   | 2250/N/A                            | 698/N/A                                       | 750                            | Cargo Length At Belt Height                             | 1562    |
|                                                                                                                                                                                 |         |                            |                |                                     |                                               |                                | Cargo Length With Load-Through Bulkhead                 | 2661    |
| Limited                                                                                                                                                                         |         |                            |                |                                     |                                               |                                | Load-Through Hatch Aperture                             | 370x345 |
| Van                                                                                                                                                                             | Limited | 1.0L EcoBoost 125PS        | 6-speed manual | 1910/2085                           | 631/803                                       | 1000                           | Cargo Width (Maximum At Floor)                          | 1535    |
| Van                                                                                                                                                                             | Limited | 1.0L EcoBoost 125PS        | 7-speed auto   | 1940/2115                           | 633/805                                       | 1000                           | Rear Door Entry Width                                   | 1235    |
| Van                                                                                                                                                                             | Limited | 1.5L EcoBlue 100PS         | 6-speed manual | 1965/2135                           | 627/794                                       | 1100                           | Wheelhouse Width (At Floor)                             | 1220    |
| Van                                                                                                                                                                             | Limited | 43kWh Electric Drive 136PS | 1-speed auto   | 2250/N/A                            | 682/ N/A                                      | 750                            | Cargo Height (Maximum)                                  | 1262    |
|                                                                                                                                                                                 |         |                            |                |                                     |                                               |                                | Cargo Height (At Rear Wheel Centre)                     | 1253    |
| Active                                                                                                                                                                          |         |                            |                |                                     |                                               |                                | Side Door Entry Width                                   | 528     |
|                                                                                                                                                                                 |         |                            |                |                                     |                                               |                                | Side Door Entry Height                                  | 1069    |
| Van                                                                                                                                                                             | Active  | 1.0L EcoBoost 125PS        | 6-speed manual | 1910/2085                           | 617/789                                       | 1000                           | Lift-Over Height 15" Wheels (Unladen With Standard Gvm) | 583     |
| Van                                                                                                                                                                             | Active  | 1.0L EcoBoost 125PS        | 7-speed auto   | 1940/2115                           | 619/791                                       | 1000                           | Lift-Over Height 17" Wheels (Unladen With Standard Gvm) | 601     |
| Van                                                                                                                                                                             | Active  | 1.5L EcoBlue 100PS         | 6-speed manual | 1965/2135                           | 613/780                                       | 1100                           | Loadspace Behind Bulkhead                               | 2.9     |
| Where / are included - this represents different option or series. Please note that these are approximate values and the dimensions may differ due to manufacturing tolerances. |         |                            |                |                                     |                                               |                                | Loadspace With Load-Through Bulkhead                    | 3.0     |

Where / are included - this represents different option or series. Please note that these are approximate values and the dimensions may differ due to manufacturing tolerances.

# Ford Transit Connect

|                  |                        |
|------------------|------------------------|
| Body style       | 2 (Van, Flexcab)       |
| Wheelbase        | 2 (SWB, LWB)           |
| Roof height      | 1                      |
| Drive            | FWD                    |
| Powertrains      | Diesel, Petrol, Hybrid |
| Transmissions    | Manual, Automatic      |
| AWD Option       | No                     |
| Series           | Leader, Trend, Limited |
| Production plant | Poznan, Poland         |

SVO paint available



| Weight       |                                       |           |                         |                           |                          |                               |                                 |                         |
|--------------|---------------------------------------|-----------|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------------|-------------------------|
|              | Fuel Type/Power (PS) and transmission | Wheelbase | Gross Vehicle Mass (kg) | Max. Front Axle Load (kg) | Max. Rear Axle Load (kg) | Max. Trailer Mass Braked (kg) | Max. Trailer Mass Unbraked (kg) | Max. Gross Payload (kg) |
| 2.0L EcoBlue | 102 PS Diesel Manual                  | SWB       | 2,220                   | 1,130                     | 1,240                    | 1,500                         | 740                             | 743                     |
|              |                                       | LWB       | 2,300                   | 1,170                     | 1,330                    | 1,500                         | 750                             | 778                     |
|              | 122 PS Diesel Automatic               | SWB       | 2,250                   | 1,160                     | 1,240                    | 1,500                         | 750                             | 737                     |
|              |                                       | LWB       | 2,350                   | 1,200                     | 1,330                    | 1,500                         | 750                             | 792                     |
|              | 122 PS Diesel AWD Manual              | SWB       | 2,350                   | 1,160                     | 1,320                    | 1,500                         | 750                             | 761                     |
|              |                                       | LWB       | 2,400                   | 1,180                     | 1,350                    | 1,500                         | 750                             | 766                     |
| PHEV         | 150 PS Petrol Automatic               | SWB       | 2,400                   | 1,200                     | 1,410                    | 1,400                         | 750                             | 690                     |
|              |                                       | LWB       | 2,500                   | 1,230                     | 1,430                    | 1,300                         | 750                             | 743                     |

| Measurements                                              |         |         |         |         |
|-----------------------------------------------------------|---------|---------|---------|---------|
| Cargo/Luggage                                             | GCIE    | Measure | Van SWB | Van LWB |
| Side Load Door Width                                      |         | mm      | 703     | 846     |
| Side Load Door Width - Including Intrusions E.g. Bulkhead | L508    | mm      | 558     | 695     |
| Side Load Door Height                                     | H508    | mm      | 1096    | 1096    |
| Rear Opening Width                                        | W207    | mm      | 1230    | 1230    |
| Rear Opening Height                                       | H202    | mm      | 1122    | 1122    |
| Loadspace Length To Bulkhead At Floor                     | L301-2  | mm      | 1797    | 2150    |
| Loadspace Length To Rearmost Part Of Bulkhead             | L304    | mm      | 1626    | 1979    |
| Loadspace Length To 1st Row Seats At Floor                | L212-1C | mm      |         |         |
| Loadspace Length To 2nd Row Seat                          | L212-2  | mm      |         |         |
| Loadspace Length To 3rd Row Seat                          | L216-3  | mm      |         |         |
| Loadspace Length To Instrument Panel                      | L212-0  | mm      |         |         |
| Loadspace Width At Floor                                  | W500    | mm      | 1628    | 1628    |
| Loadspace Width Between Wheel Houses                      | W202    | mm      | 1230    | 1230    |
| Loadspace Height* Floor To Roof                           | H300    | mm      | 1272    | 1275    |
| Loading Height Unladen                                    | H196    | mm      | 586     | 589     |
| Loadspace Sae                                             |         | m³      | 3.1     | 3.7     |

# Ford Transit Connect

## Dimensions L1

Loadspace Length 1797mm

Loadspace Height 1272mm

Loadspace Capacity 3.1 Cubic Metres

## Dimensions L2

Loadspace Length 2150mm

Loadspace Height 1275 mm

Loadspace Capacity 3.7 Cubic Metres



| Dimensions                                    | Van  |      | FlexCab   |           |
|-----------------------------------------------|------|------|-----------|-----------|
|                                               | SWB  | LWB  | SWB       | LWB       |
| External                                      |      |      |           |           |
| Overall Length                                | 4500 | 4853 | 4500      | 4853      |
| Overall Length (Active)                       |      |      | 4515      | 4868      |
| Overall Width With Mirrors                    | 2100 | 2100 | 2100      | 2100      |
| Overall Height                                | 1856 | 1860 | 1833      | 1835      |
| Wheelbase                                     | 2755 | 2970 | 2755      | 2970      |
| Turning Circle (M)                            | 11.4 | 12.1 | 11.4      | 12.1      |
| Minimum Ground Clearance (Unladen)            | 160  | 159  | 144       | 143       |
| Internal                                      |      |      |           |           |
| Front Headroom                                | 1092 | 1092 | 1092      | 1092      |
| Front Legroom Front                           | 998  | 998  | 998       | 998       |
| Shoulder Room                                 | 1382 | 1382 | 1382      | 1382      |
| Rear Headroom                                 |      |      | 1166      | 1170      |
| Rear Legroom                                  |      |      | 948       | 948       |
| Rear Shoulder Room                            |      |      | 1563      | 1563      |
| Cargo                                         |      |      |           |           |
| Side Load Door Width                          | 703  | 846  | 703       | 846       |
| Side Load Door Width Including Intrusions     | 558  | 695  | 321/666   | 458/803   |
| Side Load Door Height                         | 1096 | 1096 | 1072      | 1072      |
| Rear Opening Width                            | 1230 | 1230 | 1230      | 1230      |
| Rear Opening Height                           | 1122 | 1122 | 1122      | 1122      |
| Loadspace Length To Bulkhead At Floor         | 1797 | 2150 | 1004/1520 | 1357/1873 |
| Loadspace Length To Rearmost Part Of Bulkhead | 1626 | 1979 | 827/1389  | 1180/1742 |
| Loadspace Width At Floor                      | 1628 | 1628 | 1628      | 1628      |
| Loadspace Width Between Wheel Houses          | 1230 | 1230 | 1230      | 1230      |
| Loadspace Height* Floor To Roof               | 1272 | 1275 | 1203      | 1214      |
| Loading Height Unladen                        | 586  | 589  | 586       | 589       |
| Cargo Volume (M3)                             | 3.1  | 3.7  | 2.5/3.0   | 3.1/3.6   |
| Cargo Volume Behind Front Seats (Litres)      | 2787 | 3431 |           |           |

|                                                     |             |        |      | Technical Data      |           |                     |     |                         |                |      |                                    |                |       |                                         |                                       |  |  |
|-----------------------------------------------------|-------------|--------|------|---------------------|-----------|---------------------|-----|-------------------------|----------------|------|------------------------------------|----------------|-------|-----------------------------------------|---------------------------------------|--|--|
|                                                     |             |        |      | For Diesel Vehicles |           |                     |     |                         |                |      | For Plug-In Hybrid (PHEV) Vehicles |                |       |                                         |                                       |  |  |
| Entity                                              | Emission    | Fuel   | VED  | WLTP Fuel (Mpg)     |           | WLTP Fuel (l/100km) |     | WLTP Overall            |                |      | WLTP Weighted 2 (For PHEV)         |                |       |                                         |                                       |  |  |
|                                                     |             |        |      | Fuel Low            | Fuel High | SWB                 | LWB | Co2 (G/km) <sup>1</sup> | Fuel (l/100km) | MPG  | Co2 (G/km) <sup>1</sup>            | Fuel (l/100km) | MPG   | Electric Energy Consumption (kWh/100km) | Equivalent All-Electric Range (miles) |  |  |
| Trend                                               |             |        |      |                     |           |                     |     |                         |                |      |                                    |                |       |                                         |                                       |  |  |
| Van Trend SWB 2.0l Ecoblue 102ps 6-Speed Manual     | Stage 6E N1 | Diesel | TC39 | 41.2                | 61.0      | 6.9                 | 4.6 | 142                     | 5.4            | 52.1 |                                    |                |       |                                         |                                       |  |  |
| Van Trend SWB 2.0l Ecoblue 122ps 7-Speed Auto       | Stage 6E N1 | Diesel | TC39 | 39.6                | 59.2      | 7.1                 | 4.8 | 147                     | 5.6            | 50.5 |                                    |                |       |                                         |                                       |  |  |
| Van Trend SWB 1.5l Ecoboost 150ps 6-Speed Auto      | Stage 6E N1 | PHEV   | TC39 |                     |           |                     |     |                         |                |      | 11                                 | 0.5            | 586.4 | 18.7                                    | 73.8                                  |  |  |
| Van Trend LWB 2.0l Ecoblue 102ps 6-Speed Manual     | Stage 6E N1 | Diesel | TC39 | 40.5                | 60.0      | 7.0                 | 4.7 | 145                     | 5.5            | 51.2 |                                    |                |       |                                         |                                       |  |  |
| Van Trend LWB 2.0l Ecoblue 122ps 7-Speed Auto       | Stage 6E N1 | Diesel | TC39 | 39.1                | 58.3      | 7.2                 | 4.8 | 149                     | 5.7            | 49.7 |                                    |                |       |                                         |                                       |  |  |
| Van Trend LWB 1.5l Ecoboost 150ps 6-Speed Auto      | Stage 6E N1 | PHEV   | TC39 |                     |           |                     |     |                         |                |      | 11                                 | 0.5            | 559.1 | 19.0                                    | 72.5                                  |  |  |
| Flexcab Trend SWB 2.0l Ecoblue 102ps 6-Speed Manual | Stage 6E N1 | Diesel | TC39 | 39.8                | 59.0      | 7.1                 | 4.8 | 147                     | 5.6            | 50.5 |                                    |                |       |                                         |                                       |  |  |
| Flexcab Trend SWB 1.5l Ecoboost 150ps 6-Speed Auto  | Stage 6E N1 | PHEV   | TC39 |                     |           |                     |     |                         |                |      | 12                                 | 0.5            | 558.1 | 19.0                                    | 72.4                                  |  |  |
| Flexcab Trend LWB 2.0l Ecoblue 102ps 6-Speed Manual | Stage 6E N1 | Diesel | TC39 | 39.4                | 58.4      | 7.2                 | 4.8 | 148                     | 5.7            | 50.0 |                                    |                |       |                                         |                                       |  |  |
| Flexcab Trend LWB 1.5l Ecoboost 150ps 6-Speed Auto  | Stage 6E N1 | PHEV   | TC39 |                     |           |                     |     |                         |                |      | 12                                 | 0.5            | 541.6 | 19.2                                    | 71.5                                  |  |  |
| Limited                                             |             |        |      |                     |           |                     |     |                         |                |      |                                    |                |       |                                         |                                       |  |  |
| Van Limited SWB 2.0l Ecoblue 102ps 6-Speed Manual   | Stage 6E N1 | Diesel | TC39 | 41.1                | 60.8      | 6.9                 | 4.6 | 143                     | 5.4            | 51.9 |                                    |                |       |                                         |                                       |  |  |
| Van Limited SWB 2.0l Ecoblue 122ps 7-Speed Auto     | Stage 6E N1 | Diesel | TC39 | 39.5                | 59.1      | 7.1                 | 4.8 | 147                     | 5.6            | 50.3 |                                    |                |       |                                         |                                       |  |  |
| Van Limited SWB 1.5l Ecoboost 150ps 6-Speed Auto    | Stage 6E N1 | PHEV   | TC39 |                     |           |                     |     |                         |                |      | 11                                 | 0.5            | 580.9 | 18.8                                    | 73.5                                  |  |  |
| Van Limited LWB 2.0l Ecoblue 102ps 6-Speed Manual   | Stage 6E N1 | Diesel | TC39 | 40.4                | 59.7      | 7.0                 | 4.7 | 145                     | 5.5            | 51.0 |                                    |                |       |                                         |                                       |  |  |
| Van Limited LWB 2.0l Ecoblue 122ps 7-Speed Auto     | Stage 6E N1 | Diesel | TC39 | 38.9                | 58.1      | 7.3                 | 4.9 | 150                     | 5.7            | 49.6 |                                    |                |       |                                         |                                       |  |  |
| Van Limited LWB 1.5l Ecoboost 150ps 6-Speed Auto    | Stage 6E N1 | PHEV   | TC39 |                     |           |                     |     |                         |                |      | 12                                 | 0.5            | 553.4 | 19.0                                    | 72.2                                  |  |  |
| Active                                              |             |        |      |                     |           |                     |     |                         |                |      |                                    |                |       |                                         |                                       |  |  |
| Flexcab Active SWB 2.0l Ecoblue 122ps 7-Speed Auto  | Stage 6E N1 | Diesel | TC39 | 38.4                | 57.6      | 7.3                 | 4.9 | 151                     | 5.7            | 49.1 |                                    |                |       |                                         |                                       |  |  |
| Flexcab Active SWB 1.5l Ecoboost 150ps 6-Speed Auto | Stage 6E N1 | PHEV   | TC39 |                     |           |                     |     |                         |                |      | 12                                 | 0.5            | 558.4 | 19.0                                    | 72.4                                  |  |  |
| Flexcab Active LWB 2.0l Ecoblue 122ps 7-Speed Auto  | Stage 6E N1 | Diesel | TC39 | 38.2                | 57.1      | 7.4                 | 4.9 | 152                     | 5.8            | 48.8 |                                    |                |       |                                         |                                       |  |  |
| Flexcab Active LWB 1.5l Ecoboost 150ps 6-Speed Auto | Stage 6E N1 | PHEV   | TC39 |                     |           |                     |     |                         |                |      | 12                                 | 0.5            | 541.5 | 19.2                                    | 71.5                                  |  |  |


1. The test used to establish fuel consumption and CO2 figures has changed to deliver results that are more representative of real life driving. The Worldwide Harmonised Light Vehicle Test Procedure (WLTP) has replaced the old NEDC test. The Fuel Consumption figures shown are derived from the new WLTP test. The table shows the fuel consumption (WLTP) figures for each available engine on the Ford Transit Connect.

2. These figures were obtained using a combination of battery power and fuel. The Transit Connect PHEV is a plug-in hybrid vehicle requiring mains electricity for charging.

# Ford Transit Custom

|                  |                                       |
|------------------|---------------------------------------|
| Body style       | 4 (Van, DCIV, Multicab, Kombi)        |
| Wheelbase        | 2 (SWB, LWB)                          |
| Roof height      | 1                                     |
| Drive            | FWD, AWD                              |
| Powertrains      | Diesel, Petrol, Hybrid, Electric      |
| Transmissions    | Manual, Automatic                     |
| AWD Option       | Yes                                   |
| Series           | Leader, Trend, Limited, Active, Sport |
| Production plant | Kocaeli, Turkey                       |

SVO paint available



| Van                                                                                                           |                                           |                                           |
|---------------------------------------------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------|
| Dimensions                                                                                                    |                                           |                                           |
|                                                                                                               | L1H1                                      | L2H1                                      |
| Overall Vehicle Length                                                                                        | 5050                                      | 5450                                      |
| Wheelbase                                                                                                     | 3100                                      | 3500                                      |
| Overall Width incl. mirrors                                                                                   | 2275                                      | 2275                                      |
| Overall Vehicle Height (16" wheels)                                                                           | 1968                                      | 1966                                      |
| Cargo Area Length (max)                                                                                       | 2602                                      | 3002                                      |
| Cargo Area Length (upper)                                                                                     | 2394                                      | 2794                                      |
| Cargo Area Length (load-thru)                                                                                 | 3050                                      | 3450                                      |
| Cargo Area Width (max)                                                                                        | 1777                                      | 1777                                      |
| Cargo Area Width (wheel arches)                                                                               | 1392                                      | 1392                                      |
| Cargo Volume (max)                                                                                            | 5.8m <sup>3</sup>                         | 6.8m <sup>3</sup>                         |
| Rear Door Aperture Height                                                                                     | 1314                                      | 1314                                      |
| Rear Door Aperture Width                                                                                      | 1400                                      | 1400                                      |
| Load Height From Ground                                                                                       | 575/593                                   | 575/593                                   |
| Height to underside of tailgate                                                                               | 1322                                      | 1322                                      |
| Ground Clearance (Min)                                                                                        | 16" - 136mm<br>17" - 143mm<br>19" - 153mm | 16" - 136mm<br>17" - 143mm<br>19" - 153mm |
| Maximum Roof Load                                                                                             | 170kg                                     | 170kg                                     |
| Load-thru dimensions                                                                                          | 600mm x 270mm                             | 600mm x 270mm                             |
| Turning Circle (m):<br>16" and 17" Wheels, Kerb to Kerb/Wall to Wall<br>19" Wheels, Kerb to Kerb/Wall to Wall | 10.9m/11.6m<br>11.6m/12.3m                | 12.1m/12.8m<br>12.9m/13.6m                |

WAEGB-TTU-2023-TransitCustomGBR202575 Effective: 21/02/2025

| DCIV                                                                                                                                           |                                           |                                           |
|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------|
| Dimensions                                                                                                                                     |                                           |                                           |
|                                                                                                                                                | L1H1                                      | L2H1                                      |
| Overall Vehicle Length                                                                                                                         | 5050                                      | 5450                                      |
| Wheelbase                                                                                                                                      | 3100                                      | 3500                                      |
| Overall Width incl. mirrors                                                                                                                    | 2275                                      | 2275                                      |
| Overall Vehicle Height (16" wheels)                                                                                                            | 1968                                      | 1966                                      |
| Cargo Area Length (max)                                                                                                                        | 1604                                      | 2004                                      |
| Cargo Area Width (max)                                                                                                                         | 1777                                      | 1777                                      |
| Cargo Area Width (wheel arches)                                                                                                                | 1392                                      | 1392                                      |
| Cargo Volume (max)                                                                                                                             | 3.3m <sup>3</sup>                         | 4.3m <sup>3</sup>                         |
| Rear Door Aperture Height                                                                                                                      | 1314                                      | 1314                                      |
| Rear Door Aperture Width                                                                                                                       | 1400                                      | 1400                                      |
| Load Height From Ground                                                                                                                        | 531/585                                   | 531/585                                   |
| Height to underside of tailgate                                                                                                                | 1322                                      | 1322                                      |
| Ground Clearance (Min)                                                                                                                         | 16" - 136mm<br>17" - 143mm<br>19" - 153mm | 16" - 136mm<br>17" - 143mm<br>19" - 153mm |
| Maximum Roof Load                                                                                                                              | 170kg                                     | 170kg                                     |
| Load-thru dimensions                                                                                                                           | 600mm x 270mm                             | 600mm x 270mm                             |
| Turning Circle (m):<br>16" Wheels, Kerb to Kerb/Wall to Wall<br>17" Wheels, Kerb to Kerb/Wall to Wall<br>19" Wheels, Kerb to Kerb/Wall to Wall | 10.9m/11.6m<br>10.9m/11.6m<br>11.6m/12.3m | 12.1m/12.8m<br>12.1m/12.8m<br>12.9m/13.6m |

WAEGB-TTU-2023-TransitCustomGBR202575 Effective: 21/02/2025

| Custom L1 - Van Low Roof Technical Data                                                                                    |     |      |         |                 |      |         |                 |      |         |       |                  |        |         |      |         |         |        |            |      |
|----------------------------------------------------------------------------------------------------------------------------|-----|------|---------|-----------------|------|---------|-----------------|------|---------|-------|------------------|--------|---------|------|---------|---------|--------|------------|------|
| Warranty - 100,000 miles or 3 years - Service Intervals - ICE and PHEV - 2 years/25k miles EV - 2 years/Unlimited Distance |     |      |         |                 |      |         |                 |      |         |       |                  |        |         |      |         |         |        |            |      |
| SWB Van                                                                                                                    | CO2 |      |         | Fuel Efficiency |      |         | MP G_Mile / kWh |      |         | AER   | Weight and Loads |        |         |      |         |         | Towing |            |      |
|                                                                                                                            | Low | High | Overall | Low             | High | Overall | Low             | High | Overall |       | Kerb             | GVM    | Payload | Miro | FR Axle | RR Axle | GTM    | Max Braked |      |
| Leader                                                                                                                     |     |      |         |                 |      |         |                 |      |         |       |                  |        |         |      |         |         |        |            |      |
| 280S 2.0TD110 T6.2 M6 FWD SWB                                                                                              | 228 | 155  | 183     | 8.7             | 5.9  | 7.0     | 32.5            | 47.9 | 40.4    |       | 1818.3           | 2825   | 1007    | 1864 | 1150.0  | 639.0   | 4825.0 | 2000       |      |
| 300S 2.0TD110 T6.2 M6 FWD SWB                                                                                              | 231 | 156  | 185     | 8.8             | 5.9  | 7.1     | 32.1            | 47.9 | 39.8    |       | 1818.3           | 3025   | 1207    | 1864 | 1150.0  | 639.0   | 5025.0 | 2000       |      |
| 320S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 234 | 157  | 186     | 8.9             | 6.0  | 7.1     | 31.7            | 47.1 | 39.8    |       | 1818.3           | 3225   | 1407    | 1864 | 1150.0  | 639.0   | 5725.0 | 2800       |      |
| Trend                                                                                                                      |     |      |         |                 |      |         |                 |      |         |       |                  |        |         |      |         |         |        |            |      |
| 280S 2.0TD110 T6.2 M6 FWD SWB                                                                                              | 228 | 155  | 183     | 8.7             | 5.9  | 7.0     | 32.5            | 47.9 | 40.4    |       | 1841.5           | 2825   | 984     | 1909 | 1150.0  | 639.0   | 4825.0 | 2000       |      |
| 280S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 228 | 155  | 183     | 8.7             | 5.9  | 7.0     | 32.5            | 47.9 | 40.4    |       | 1841.5           | 2825   | 984     | 1909 | 1150.0  | 639.0   | 5325.0 | 2800       |      |
| 280S 2.0TD136 T6.2 A8 FWD SWB                                                                                              | 259 | 164  | 197     | 9.9             | 6.3  | 7.5     | 28.5            | 44.8 | 37.7    |       | 1879.5           | 2825   | 946     | 1947 | 1184.0  | 643.0   | 5325.0 | 2800       |      |
| 300S 2.0TD110 T6.2 M6 FWD SWB                                                                                              | 231 | 156  | 185     | 8.8             | 6.0  | 7.1     | 32.1            | 47.1 | 39.8    |       | 1841.5           | 3025   | 1184    | 1909 | 1150.0  | 639.0   | 5025.0 | 2000       |      |
| 300S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 231 | 156  | 185     | 8.8             | 6.0  | 7.1     | 32.1            | 47.1 | 39.8    |       | 1841.5           | 3025   | 1184    | 1909 | 1150.0  | 639.0   | 5525.0 | 2800       |      |
| 300S 2.0TD136 T6.2 A8 FWD SWB                                                                                              | 260 | 165  | 198     | 9.9             | 6.3  | 7.6     | 28.5            | 44.8 | 37.2    |       | 1879.5           | 3025   | 1146    | 1947 | 1184.0  | 643.0   | 5525.0 | 2800       |      |
| 320S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 235 | 157  | 187     | 9.0             | 6.0  | 7.1     | 31.4            | 47.1 | 39.8    |       | 1841.5           | 3225   | 1384    | 1909 | 1150.0  | 639.0   | 5725.0 | 2800       |      |
| 320S 2.0TD136 T6.2 A8 FWD SWB                                                                                              | 262 | 166  | 200     | 10.0            | 6.4  | 7.6     | 28.2            | 44.1 | 37.2    |       | 1879.5           | 3225   | 1346    | 1947 | 1184.0  | 643.0   | 5725.0 | 2800       |      |
| 320S 2.0TD136 T6.2 A8 4WD SWB                                                                                              | 262 | 183  | 220     | 10.9            | 7.0  | 8.4     | 25.9            | 40.4 | 33.6    |       | 2005.5           | 3225   | 1220    | 2046 | 1237.0  | 689.0   | 5725.0 | 2800       |      |
| 320S 2.5 232 T6.2P CT FWD SWB                                                                                              |     |      |         | 36              |      |         | 1.6             |      |         | 176.6 | 34               | 1988.5 | 3225    | 1237 | 2056    | 1209.0  | 727.0  | 5525.0     | 2300 |
| 320S 65KWH100 ZE CT RWD SWB                                                                                                |     |      |         |                 |      |         |                 |      | 2.80    | 203   | 2137.5           | 3225   | 1088    | 2176 | 1030.0  | 1055.0  | 5350.0 | 2300       |      |
| Limited                                                                                                                    |     |      |         |                 |      |         |                 |      |         |       |                  |        |         |      |         |         |        |            |      |
| 280S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 231 | 158  | 187     | 8.8             | 6.0  | 7.1     | 32.1            | 47.1 | 39.8    |       | 1895.7           | 2825   | 929     | 1950 | 1150.0  | 639.0   | 5350.0 | 2500       |      |
| 280S 2.0TD136 T6.2 A8 FWD SWB                                                                                              | 262 | 167  | 200     | 10.0            | 6.4  | 7.6     | 28.2            | 44.1 | 37.2    |       | 1933.7           | 2825   | 891     | 1988 | 1184.0  | 643.0   | 5325.0 | 2500       |      |
| 300S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 235 | 159  | 188     | 9.0             | 6.1  | 7.2     | 31.4            | 46.3 | 39.2    |       | 1895.7           | 3025   | 1129    | 1950 | 1150.0  | 639.0   | 5525.0 | 2500       |      |
| 300S 2.0TD136 T6.2 A8 FWD SWB                                                                                              | 262 | 168  | 201     | 10.0            | 6.4  | 7.7     | 28.2            | 44.1 | 36.7    |       | 1933.7           | 3025   | 1091    | 1988 | 1184.0  | 643.0   | 5525.0 | 2500       |      |
| 300S 2.0TD150 T6.2 M6 FWD SWB                                                                                              | 235 | 159  | 188     | 9.0             | 6.1  | 7.2     | 31.4            | 46.3 | 39.2    |       | 1895.7           | 3025   | 1129    | 1950 | 1150.0  | 639.0   | 5525.0 | 2500       |      |
| 300S 2.0TD170 T6.2 A8 FWD SWB                                                                                              | 262 | 168  | 201     | 10.0            | 6.4  | 7.7     | 28.2            | 44.1 | 36.7    |       | 1933.7           | 3025   | 1091    | 1988 | 1184.0  | 643.0   | 5525.0 | 2500       |      |
| 320S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 238 | 160  | 190     | 9.1             | 6.1  | 7.3     | 31.0            | 46.3 | 38.7    |       | 1895.7           | 3225   | 1329    | 1950 | 1150.0  | 639.0   | 5725.0 | 2500       |      |
| 320S 2.0TD136 T6.2 A8 FWD SWB                                                                                              | 265 | 169  | 203     | 10.1            | 6.5  | 7.7     | 28.0            | 43.5 | 36.7    |       | 1933.7           | 3225   | 1291    | 1988 | 1184.0  | 643.0   | 5725.0 | 2500       |      |
| 320S 2.0TD150 T6.2 M6 FWD SWB                                                                                              | 238 | 160  | 190     | 9.1             | 6.1  | 7.3     | 31.0            | 46.3 | 38.7    |       | 1895.7           | 3225   | 1329    | 1950 | 1150.0  | 639.0   | 5725.0 | 2500       |      |
| 320S 2.0TD170 T6.2 A8 FWD SWB                                                                                              | 265 | 169  | 203     | 10.1            | 6.5  | 7.7     | 28.0            | 43.5 | 36.7    |       | 1933.7           | 3225   | 1291    | 1988 | 1184.0  | 643.0   | 5725.0 | 2500       |      |
| 320S 2.5 232 T6.2P CT FWD SWB                                                                                              |     |      |         | 38              |      |         | 1.6             |      |         | 176.6 | 33               | 2042.7 | 3225    | 1182 | 2097    | 1209.0  | 727.0  | 5225.0     | 2300 |
| 320S 65K WH100 ZE CT RWD SWB                                                                                               |     |      |         |                 |      |         |                 |      | 2.77    | 201   | 2162.7           | 3225   | 1062    | 2217 | 1030.0  | 1055.0  | 5350.0 | 2300       |      |
| Trail                                                                                                                      |     |      |         |                 |      |         |                 |      |         |       |                  |        |         |      |         |         |        |            |      |
| 320S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 238 | 161  | 191     | 9.1             | 6.1  | 7.3     | 31.0            | 46.3 | 38.7    |       | 1895.7           | 3225   | 1329    | 1950 | 1150.0  | 639.0   | 5725.0 | 2500       |      |
| 320S 2.0TD150 T.2 M6 FWD SWB                                                                                               | 238 | 161  | 191     | 9.1             | 6.1  | 7.3     | 31.0            | 46.3 | 38.7    |       | 1895.7           | 3225   | 1329    | 1950 | 1150.0  | 639.0   | 5725.0 | 2500       |      |
| 320S 2.0TD170 T6.2 A8 4WD SWB                                                                                              | 286 | 184  | 221     | 10.9            | 7.0  | 8.4     | 25.9            | 40.4 | 33.6    |       | 2030.7           | 3225   | 1194    | 2087 | 1237.0  | 689.0   | 5725.0 | 2500       |      |
| Sport                                                                                                                      |     |      |         |                 |      |         |                 |      |         |       |                  |        |         |      |         |         |        |            |      |
| 300S 2.0TD150 T6.2M6 FWD SWB                                                                                               | 235 | 158  | 188     | 9.0             | 6.0  | 7.2     | 31.4            | 47.1 | 39.2    |       | 1903.7           | 3025   | 1121    | 1958 | 1150.0  | 639.0   | 5525.0 | 2500       |      |
| 300S 2.0TD170 T6.2 M6 FWD SWB                                                                                              | 263 | 167  | 201     | 10.0            | 6.4  | 7.7     | 28.2            | 44.1 | 36.7    |       | 1941.7           | 3025   | 1083    | 1996 | 1184.0  | 643.0   | 5525.0 | 2500       |      |
| 320S 2.0TD170 T6.2 A8 4WD SWB                                                                                              | 287 | 184  | 221     | 10.9            | 7.0  | 8.4     | 25.9            | 40.4 | 33.6    |       | 2038.7           | 3225   | 1186    | 2095 | 1237.0  | 689.0   | 5725.0 | 2500       |      |
| 320S 2.5 232 T6.2P CT FWD SWB                                                                                              |     |      |         | 38              |      |         | 1.7             |      |         | 166.2 | 33               | 2050.7 | 3225    | 1174 | 2105    | 1209.0  | 727.0  | 5225.0     | 2300 |
| 320S 65KWH160 ZECT RWD SWB                                                                                                 |     |      |         |                 |      |         |                 |      | 2.62    | 195   | 2170.7           | 3225   | 1054    | 2225 | 1030.0  | 1055.0  | 5250.0 | 2300       |      |
| MS-RT                                                                                                                      |     |      |         |                 |      |         |                 |      |         |       |                  |        |         |      |         |         |        |            |      |
| 300S 2.0TD150 T6.2 M6 FWD SWB                                                                                              | 241 | 176  | 209     | 9.2             | 6.7  | 8       | 30.7            | 42.2 | 35.3    |       | 1922.3           | 3025   | 1103    | 1950 | 1030.0  | 1055.0  | 5525.0 | 2500       |      |
| 300S 2.0TD170 T6.2 A8 FWD SWB                                                                                              | 268 | 188  | 226     | 10.2            | 7.2  | 8.6     | 27.7            | 39.2 | 32.8    |       | 1960.3           | 3025   | 1065    | 1988 | 1150.0  | 639.0   | 5525.0 | 2500       |      |
| 320S 2.0TD170 T6.2 A8 4WD SWB                                                                                              | 274 | 192  | 230     | 10.4            | 7.3  | 8.8     | 27.2            | 38.7 | 32.1    |       | 2057.3           | 3225   | 1168    | 2087 | 1192.0  | 643.0   | 5725.0 | 2500       |      |
| 320S 2.5 323 T6.2P CT FWD SWB                                                                                              |     |      |         | 50              |      |         | 2.2             |      |         | 128.4 | 29               | 2069.3 | 3225    | 1156 | 2097    | 1062.0  | 1130.0 | 5225.0     | 2300 |
| 320S 65KWH210 ZECT RWD SWB                                                                                                 |     |      |         |                 |      |         |                 |      | 2.16    | 172   | 2189.3           | 3225   | 1036    | 2217 | 1302.0  | 777.0   | 5350.0 | 2300       |      |

| Custom L2 - Van Low Roof Technical Data                                                                                    |     |      |         |                 |      |         |                 |      |         |      |                  |        |         |      |         |         |        |            |        |        |        |      |
|----------------------------------------------------------------------------------------------------------------------------|-----|------|---------|-----------------|------|---------|-----------------|------|---------|------|------------------|--------|---------|------|---------|---------|--------|------------|--------|--------|--------|------|
| Warranty - 100,000 miles or 3 years - Service Intervals - ICE and PHEV - 2 years/25k miles EV - 2 years/Unlimited Distance |     |      |         |                 |      |         |                 |      |         |      |                  |        |         |      |         |         |        |            |        |        |        |      |
| LWB Van                                                                                                                    | CO2 |      |         | Fuel Efficiency |      |         | MP G_Mile / kWh |      |         | AER  | Weight and Loads |        |         |      |         |         | Towing |            |        |        |        |      |
|                                                                                                                            | Low | High | Overall | Low             | High | Overall | Low             | High | Overall |      | Kerb             | GVM    | Payload | MIRO | FR Axle | RR Axle | GTM    | Max Braked |        |        |        |      |
| Leader                                                                                                                     |     |      |         |                 |      |         |                 |      |         |      |                  |        |         |      |         |         |        |            |        |        |        |      |
| 280L 2.0TD110 T6.2 M6 FWD LWB                                                                                              | 229 | 156  | 184     | 8.7             | 5.9  | 7.0     | 32.5            | 47.9 | 40.4    |      | 1864.3           | 2825   | 961     | 1910 | 1192.0  | 643.0   | 4825.0 | 2000       |        |        |        |      |
| 300L 2.0TD110 T6.2 M6 FWD LWB                                                                                              | 233 | 157  | 186     | 8.9             | 6.0  | 7.1     | 31.7            | 47.1 | 39.8    |      | 1864.3           | 3025   | 1161    | 1910 | 1192.0  | 643.0   | 5025.0 | 2000       |        |        |        |      |
| 320L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 236 | 158  | 188     | 9.0             | 6.0  | 7.2     | 31.4            | 47.1 | 39.2    |      | 1864.3           | 3225   | 1361    | 1910 | 1192.0  | 643.0   | 5725.0 | 2800       |        |        |        |      |
| Trend                                                                                                                      |     |      |         |                 |      |         |                 |      |         |      |                  |        |         |      |         |         |        |            |        |        |        |      |
| 280L 2.0TD110 T6.2 M6 FWD LWB                                                                                              | 230 | 156  | 185     | 8.8             | 5.9  | 7.0     | 32.1            | 47.9 | 40.4    |      | 1887.5           | 2825   | 938     | 1955 | 1192.0  | 643.0   | 4825.0 | 2000       |        |        |        |      |
| 280L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 230 | 156  | 185     | 8.8             | 6.0  | 7.0     | 32.1            | 47.1 | 40.4    |      | 1887.5           | 2825   | 938     | 1955 | 1192.0  | 643.0   | 5325.0 | 2800       |        |        |        |      |
| 280L 2.0TD136 T6.2 A8 FWD LWB                                                                                              | 261 | 165  | 198     | 10.0            | 6.3  | 7.6     | 28.2            | 44.8 | 37.2    |      | 1925.5           | 2825   | 900     | 1993 | 1226.0  | 647.0   | 5325.0 | 2800       |        |        |        |      |
| 300L 2.0TD110 T6.2 M6 FWD LWB                                                                                              | 233 | 157  | 187     | 8.9             | 6.0  | 7.1     | 31.7            | 47.1 | 39.8    |      | 1887.5           | 3025   | 1138    | 1955 | 1192.0  | 643.0   | 5025.0 | 2000       |        |        |        |      |
| 300L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 233 | 157  | 186     | 8.9             | 6.0  | 7.1     | 31.7            | 47.1 | 39.8    |      | 1887.5           | 3025   | 1138    | 1955 | 1192.0  | 643.0   | 5525.0 | 2800       |        |        |        |      |
| 300L 2.0TD136 T6.2 A8 FWD LWB                                                                                              | 261 | 166  | 199     | 10.0            | 6.3  | 7.6     | 28.2            | 44.8 | 37.2    |      | 1925.5           | 3025   | 1100    | 1993 | 1226.0  | 647.0   | 5525.0 | 2800       |        |        |        |      |
| 320L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 237 | 159  | 188     | 9.0             | 6.1  | 7.2     | 31.4            | 46.3 | 39.2    |      | 1887.5           | 3225   | 1338    | 1955 | 1192.0  | 643.0   | 5725.0 | 2800       |        |        |        |      |
| 320L 2.0TD136 T6.2 A8 FWD LWB                                                                                              | 264 | 167  | 201     | 10.1            | 6.4  | 7.7     | 28.0            | 44.1 | 36.7    |      | 1925.5           | 3225   | 1300    | 1993 | 1226.0  | 647.0   | 5725.0 | 2800       |        |        |        |      |
| 320L 2.0TD136 T6.2 A8 4WD LWB                                                                                              | 287 | 184  | 221     | 10.9            | 7.0  | 8.4     | 25.9            | 40.4 | 33.6    |      | 2051.5           | 3225   | 1174    | 2092 | 1265.0  | 707.0   | 5725.0 | 2800       |        |        |        |      |
| 320L 2.5 232 T6.2P CT FWD LWB                                                                                              |     |      |         | 37              |      |         | 1.6             |      |         |      |                  |        | 176.6   | 34   | 2034.5  | 3225    | 1191   | 2102       | 1268.0 | 714.0  | 5225.0 | 2300 |
| 320L 65kWh100 ZE CT RWD LWB                                                                                                |     |      |         |                 |      |         |                 |      |         | 2.78 | 202              | 2183.5 | 3225    | 1042 | 2222    | 1101.0  | 1030.0 | 5350.0     | 2300   |        |        |      |
| Limited                                                                                                                    |     |      |         |                 |      |         |                 |      |         |      |                  |        |         |      |         |         |        |            |        |        |        |      |
| 280L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 233 | 159  | 187     | 8.9             | 6.1  | 7.2     | 31.7            | 46.3 | 39.2    |      | 1941.7           | 2825   | 883     | 1996 | 1192.0  | 643.0   | 5325.0 | 2500       |        |        |        |      |
| 280L 2.0TD136 T6.2 A8 FWD LWB                                                                                              | 264 | 168  | 201     | 10.1            | 6.4  | 7.7     | 28.0            | 44.1 | 36.7    |      | 1979.7           | 2825   | 845     | 2034 | 1226.0  | 647.0   | 5325.0 | 2500       |        |        |        |      |
| 300L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 237 | 159  | 189     | 9.0             | 6.1  | 7.2     | 31.4            | 46.3 | 39.2    |      | 1941.7           | 3025   | 1083    | 1996 | 1192.0  | 643.0   | 5525.0 | 2500       |        |        |        |      |
| 300L 2.0TD136 T6.2 A8 FWD LWB                                                                                              | 264 | 169  | 202     | 10.1            | 6.4  | 7.7     | 28.0            | 44.1 | 36.7    |      | 1979.7           | 3025   | 1045    | 2034 | 1226.0  | 647.0   | 5525.0 | 2500       |        |        |        |      |
| 300L 2.0TD150 T6.2 M6 FWD LWB                                                                                              | 237 | 159  | 189     | 9.0             | 6.1  | 7.2     | 31.4            | 46.3 | 39.2    |      | 1941.7           | 3025   | 1083    | 1996 | 1192.0  | 643.0   | 5525.0 | 2500       |        |        |        |      |
| 300L 2.0TD170 T6.2 A8 FWD LWB                                                                                              | 264 | 169  | 202     | 10.1            | 6.4  | 7.7     | 28.0            | 44.1 | 36.7    |      | 1979.7           | 3025   | 1045    | 2034 | 1226.0  | 647.0   | 5525.0 | 2500       |        |        |        |      |
| 320L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 240 | 161  | 191     | 9.2             | 6.1  | 7.3     | 30.7            | 46.3 | 38.7    |      | 1941.7           | 3225   | 1283    | 1996 | 1192.0  | 643.0   | 5725.0 | 2500       |        |        |        |      |
| 320L 2.0TD136 T6.2 A8 FWD LWB                                                                                              | 267 | 170  | 204     | 10.2            | 6.5  | 7.8     | 27.7            | 43.5 | 36.2    |      | 1979.7           | 3225   | 1245    | 2034 | 1226.0  | 647.0   | 5725.0 | 2500       |        |        |        |      |
| 320L 2.0TD150 T6.2 M6 FWD LWB                                                                                              | 240 | 161  | 191     | 9.2             | 6.1  | 7.3     | 30.7            | 46.3 | 38.7    |      | 1941.7           | 3225   | 1283    | 1996 | 1192.0  | 643.0   | 5725.0 | 2500       |        |        |        |      |
| 320L 2.0TD170 T6.2 A8 FWD LWB                                                                                              | 267 | 170  | 204     | 10.2            | 6.5  | 7.8     | 27.7            | 43.5 | 36.2    |      | 1979.7           | 3225   | 1245    | 2034 | 1226.0  | 647.0   | 5725.0 | 2500       |        |        |        |      |
| 320L 2.5 232 T6.2P CT FWD LWB                                                                                              |     |      |         | 38              |      |         | 1.7             |      |         |      |                  |        | 166.2   | 33   | 2088.7  | 3225    | 1136   | 2143       | 1268.0 | 714.0  | 5225.0 | 2300 |
| 320L 65k Wh100 ZE CT RWD LWB                                                                                               |     |      |         |                 |      |         |                 |      |         | 2.75 | 200              | 2208.7 | 3225    | 1016 | 2263    | 1101.0  | 1030.0 | 5350.0     | 2300   |        |        |      |
| Trail                                                                                                                      |     |      |         |                 |      |         |                 |      |         |      |                  |        |         |      |         |         |        |            |        |        |        |      |
| 320L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 240 | 161  | 191     | 9.2             | 6.2  | 7.3     | 30.7            | 45.6 | 38.7    |      | 1941.7           | 3225   | 1283    | 1996 | 1192.0  | 643.0   | 5725.0 | 2500       |        |        |        |      |
| 320L 2.0TD150 T.2 M6 FWD LWB                                                                                               | 240 | 161  | 191     | 9.2             | 6.2  | 7.3     | 30.7            | 45.6 | 38.7    |      | 1941.7           | 3225   | 1283    | 1996 | 1192.0  | 643.0   | 5725.0 | 2500       |        |        |        |      |
| 320L 2.0TD170 T6.2 A8 4WD LWB                                                                                              | 287 | 185  | 222     | 11.0            | 7.1  | 8.5     | 25.7            | 39.8 | 33.2    |      | 2076.7           | 3225   | 1148    | 2133 | 1265.0  | 707.0   | 5725.0 | 2500       |        |        |        |      |
| Sport                                                                                                                      |     |      |         |                 |      |         |                 |      |         |      |                  |        |         |      |         |         |        |            |        |        |        |      |
| 300L 2.0TD150 T6.2M6 FWD LWB                                                                                               | 237 | 159  | 189     | 9.1             | 6.1  | 7.2     | 31.0            | 46.3 | 39.2    |      | 1949.7           | 3025   | 1075    | 2004 | 1192.0  | 643.0   | 5525.0 | 2500       |        |        |        |      |
| 300L 2.0TD170 T6.2 M6 FWD LWB                                                                                              | 264 | 168  | 202     | 10.1            | 6.4  | 7.7     | 28.0            | 44.1 | 36.7    |      | 1987.7           | 3025   | 1037    | 2042 | 1226.0  | 647.0   | 5525.0 | 2500       |        |        |        |      |
| 320L 2.0TD170 T6.2 A8 4WD LWB                                                                                              | 288 | 185  | 222     | 11.0            | 7.1  | 8.5     | 25.7            | 39.8 | 33.2    |      | 2084.7           | 3225   | 1140    | 2141 | 1265.0  | 707.0   | 5725.0 | 2500       |        |        |        |      |
| 320L 2.5 232 T6.2P CT FWD LWB                                                                                              |     |      |         | 38              |      |         | 1.7             |      |         |      |                  |        | 166.2   | 33   | 2096.7  | 3225    | 1128   | 2151       | 1268.0 | 714.0  | 5525.0 | 2300 |
| 320L 65kWh160 ZECT Rwd LWB                                                                                                 |     |      |         |                 |      |         |                 |      |         | 2.60 | 193              | 2216.7 | 3225    | 1008 | 2271    | 1101.0  | 1030.0 | 5350.0     | 2300   |        |        |      |
| MS-RT                                                                                                                      |     |      |         |                 |      |         |                 |      |         |      |                  |        |         |      |         |         |        |            |        |        |        |      |
| 300L 2.0TD150 T6.2 M6 FWD LWB                                                                                              | 243 | 178  | 210     | 9.3             | 6.8  | 8       | 30.4            | 41.5 | 35.3    |      | 1968.3           | 3025   | 1057    | 1996 | 1101.1  | 1030.0  | 5525.0 | 2500       |        |        |        |      |
| 300L 2.0TD170 T6.2 A8 FWD LWB                                                                                              | 270 | 189  | 227     | 10.3            | 7.2  | 8.7     | 27.4            | 39.2 | 32.5    |      | 2006.3           | 3025   | 1019    | 2034 | 1184.0  | 643.0   | 5525.0 | 2500       |        |        |        |      |
| 320L 2.0TD170 T6.2 A8 4WD LWB                                                                                              | 276 | 193  | 232     | 10.5            | 7.4  | 8.8     | 26.9            | 38.2 | 32.1    |      | 2103.3           | 3225   | 1122    | 2133 | 1226.0  | 647.0   | 5725.0 | 2500       |        |        |        |      |
| 320L 2.5 323 T6.2P CT FWD LWB                                                                                              |     |      |         | 50              |      |         | 2.2             |      |         |      |                  |        | 128.4   | 29   | 2115.3  | 3225    | 1110   | 2143       | 1138.0 | 1099.0 | 5525.0 | 2300 |
| 320L 65kWh210 ZECT RWD LWB                                                                                                 |     |      |         |                 |      |         |                 |      |         | 2.15 | 168              | 2235.3 | 3225    | 990  | 2263    | 1269.0  | 764.0  | 5350.0     | 2300   |        |        |      |

| Custom DCIV L1 - DCIV Low Roof Technical Data                                                                              |     |      |         |                 |      |         |                 |      |         |       |                  |      |         |      |         |         |        |            |      |
|----------------------------------------------------------------------------------------------------------------------------|-----|------|---------|-----------------|------|---------|-----------------|------|---------|-------|------------------|------|---------|------|---------|---------|--------|------------|------|
| Warranty - 100,000 miles or 3 years - Service Intervals - ICE and PHEV - 2 years/25k miles EV - 2 years/Unlimited Distance |     |      |         |                 |      |         |                 |      |         |       |                  |      |         |      |         |         |        |            |      |
| SWB Van                                                                                                                    | CO2 |      |         | Fuel Efficiency |      |         | MP G_Mile / kWh |      |         | AER   | Weight and Loads |      |         |      |         |         | Towing |            |      |
|                                                                                                                            | Low | High | Overall | Low             | High | Overall | Low             | High | Overall |       | Kerb             | GVM  | Payload | MIRO | FR Axle | RR Axle | GTM    | Max Braked |      |
| Leader                                                                                                                     |     |      |         |                 |      |         |                 |      |         |       |                  |      |         |      |         |         |        |            |      |
| 280S 2.0TD110 T6.2 M6 FWD SWB                                                                                              | 232 | 157  | 186     | 8.8             | 6.0  | 7.1     | 32.1            | 47.1 | 39.8    |       | 1925             | 2840 | 915     | 1981 | 1182.0  | 714.0   | 484.0  | 2000       |      |
| 300S 2.0TD110 T6.2 M6 FWD SWB                                                                                              | 236 | 158  | 188     | 9.0             | 6.0  | 7.2     | 31.4            | 47.1 | 39.2    |       | 1930             | 3025 | 1095    | 1986 | 1187.0  | 714.0   | 5025.0 | 2000       |      |
| 320S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 239 | 159  | 189     | 9.1             | 6.1  | 7.2     | 31.0            | 46.3 | 39.2    |       | 1930             | 3225 | 1295    | 1986 | 1187.0  | 714.0   | 5725.0 | 2500       |      |
| Trend                                                                                                                      |     |      |         |                 |      |         |                 |      |         |       |                  |      |         |      |         |         |        |            |      |
| 280S 2.0TD110 T6.2 M6 FWD SWB                                                                                              | 233 | 157  | 186     | 8.9             | 6.0  | 7.1     | 31.7            | 47.1 | 39.8    |       | 1949             | 2840 | 892     | 2026 | 1182.0  | 714.0   | 4840.0 | 2000       |      |
| 280S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 233 | 157  | 186     | 8.9             | 6.0  | 7.1     | 31.7            | 47.1 | 39.8    |       | 1949             | 2840 | 892     | 2026 | 1182.0  | 714.0   | 5340.0 | 2500       |      |
| 280S 2.0TD136 T6.2 A8 FWD SWB                                                                                              | 264 | 167  | 200     | 10.1            | 6.4  | 7.6     | 28.0            | 44.1 | 37.2    |       | 1986             | 2845 | 860     | 2063 | 1215.0  | 718.0   | 5345.0 | 2500       |      |
| 300S 2.0TD110 T6.2 M6 FWD SWB                                                                                              | 237 | 158  | 188     | 9.0             | 6.0  | 7.2     | 31.4            | 47.1 | 39.2    |       | 1954             | 3025 | 1072    | 2031 | 1187.0  | 714.0   | 5025.0 | 2000       |      |
| 300S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 237 | 158  | 188     | 9.0             | 6.0  | 7.2     | 31.4            | 47.1 | 39.2    |       | 1954             | 3025 | 1072    | 2031 | 1187.0  | 714.0   | 5525.0 | 2500       |      |
| 300S 2.0TD136 T6.2 A8 FWD SWB                                                                                              | 264 | 167  | 201     | 10.1            | 6.4  | 7.7     | 28.0            | 44.1 | 36.7    |       | 1991             | 3025 | 1035    | 2068 | 1220.0  | 718.0   | 5525.0 | 2500       |      |
| 320S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 240 | 160  | 189     | 9.2             | 6.1  | 7.2     | 30.7            | 46.3 | 39.2    |       | 1954             | 3225 | 1272    | 2031 | 1187.0  | 714.0   | 5725.0 | 2500       |      |
| 320S 2.0TD136 T6.2 A8 4WD SWB                                                                                              | 266 | 169  | 202     | 10.2            | 6.4  | 7.7     | 27.7            | 44.1 | 36.7    |       | 1991             | 3225 | 1235    | 2068 | 1220.0  | 718.0   | 5725.0 | 2500       |      |
| 320S 2.5 232 T6.2P CT FWD SWB                                                                                              | 37  |      |         | 1.6             |      |         |                 |      |         | 176.6 | 33               | 2101 | 3225    | 1125 | 2178    | 1246.0  | 802.0  | 5225.0     | 2300 |
| 320S 65KWH100 ZE CT RWD SWB                                                                                                |     |      |         |                 |      |         |                 |      |         | 2.77  | 201              | 2250 | 3225    | 976  | 2298    | 1067.0  | 1130.0 | 5350.0     | 2300 |
| Limited                                                                                                                    |     |      |         |                 |      |         |                 |      |         |       |                  |      |         |      |         |         |        |            |      |
| 280S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 237 | 161  | 190     | 9.0             | 6.1  | 7.3     | 31.4            | 46.3 | 38.7    |       | 2030             | 2840 | 810     | 2084 | 1182.0  | 714.0   | 5340.0 | 2500       |      |
| 280S 2.0TD136 T6.2 A8 FWD SWB                                                                                              | 268 | 170  | 204     | 10.2            | 6.5  | 7.8     | 27.7            | 43.5 | 36.2    |       | 2067             | 2845 | 778     | 2121 | 1215.0  | 718.0   | 5345.0 | 2500       |      |
| 300S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 242 | 162  | 192     | 9.2             | 6.2  | 7.3     | 30.7            | 45.6 | 38.7    |       | 2035             | 3025 | 990     | 2089 | 1187.0  | 714.0   | 5525.0 | 2500       |      |
| 300S 2.0TD136 T6.2 A8 FWD SWB                                                                                              | 268 | 171  | 205     | 10.2            | 6.5  | 7.8     | 27.7            | 43.5 | 36.2    |       | 2072             | 3025 | 953     | 2126 | 1220.0  | 718.0   | 5525.0 | 2500       |      |
| 300S 2.0TD150 T6.2 M6 FWD SWB                                                                                              | 242 | 162  | 192     | 9.2             | 6.2  | 7.3     | 30.7            | 45.6 | 38.7    |       | 2035             | 3025 | 990     | 2089 | 1187.0  | 714.0   | 5525.0 | 2500       |      |
| 300S 2.0TD170 T6.2 A8 FWD SWB                                                                                              | 268 | 171  | 205     | 10.2            | 6.5  | 7.8     | 27.7            | 43.5 | 36.2    |       | 2072             | 3025 | 953     | 2126 | 1220.0  | 718.0   | 5525.0 | 2500       |      |
| 320S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 245 | 163  | 194     | 9.4             | 6.2  | 7.4     | 30.1            | 45.6 | 38.2    |       | 2035             | 3225 | 1190    | 2089 | 1187.0  | 714.0   | 5725.0 | 2500       |      |
| 320S 2.0TD136 T6.2 A8 FWD SWB                                                                                              | 271 | 172  | 206     | 10.3            | 6.6  | 7.9     | 27.4            | 42.8 | 35.8    |       | 2072             | 3225 | 1153    | 2126 | 1220.0  | 718.0   | 5725.0 | 2500       |      |
| 320S 2.0TD150 T6.2 M6 FWD SWB                                                                                              | 245 | 163  | 194     | 9.4             | 6.2  | 7.4     | 30.1            | 45.6 | 38.2    |       | 2035             | 3225 | 1190    | 2089 | 1187.0  | 714.0   | 5725.0 | 2500       |      |
| 320S 2.0TD170 T6.2 A8 FWD SWB                                                                                              | 271 | 172  | 206     | 10.3            | 6.6  | 7.9     | 27.4            | 42.8 | 35.8    |       | 2072             | 3225 | 1153    | 2126 | 1220.0  | 718.0   | 5725.0 | 2500       |      |
| 320S 2.5 232 T6.2P CT FWD SWB                                                                                              | 30  |      |         | 1.7             |      |         |                 |      |         | 166.2 | 32               | 2182 | 3225    | 1043 | 2236    | 1246.0  | 802.0  | 5225.0     | 2300 |
| 320S 65K WH100 ZE CT RWD SWB                                                                                               |     |      |         |                 |      |         |                 |      |         | 2.72  | 198              | 2302 | 3225    | 923  | 2356    | 1067.0  | 1130.0 | 5350.0     | 2300 |
| Trail                                                                                                                      |     |      |         |                 |      |         |                 |      |         |       |                  |      |         |      |         |         |        |            |      |
| 320S 2.0TD136 T6.2 M6 FWD SWB                                                                                              | 245 | 164  | 194     | 9.4             | 6.2  | 7.4     | 30.1            | 45.6 | 38.2    |       | 2035             | 3225 | 1190    | 2089 | 1187.0  | 714.0   | 5725.0 | 2500       |      |
| 320S 2.0TD150 T.2 M6 FWD SWB                                                                                               | 245 | 164  | 194     | 9.4             | 6.2  | 7.4     | 30.1            | 45.6 | 38.2    |       | 2035             | 3225 | 1190    | 2089 | 1187.0  | 714.0   | 5725.0 | 2500       |      |
| 320S 2.0TD170 T6.2 A8 4WD SWB                                                                                              | 290 | 188  | 225     | 11.1            | 7.2  | 8.6     | 25.4            | 39.2 | 32.8    |       | 2170             | 3225 | 1055    | 2226 | 1274.0  | 764.0   | 5725.0 | 2500       |      |
| Sport                                                                                                                      |     |      |         |                 |      |         |                 |      |         |       |                  |      |         |      |         |         |        |            |      |
| 300S 2.0TD150 T6.2M6 FWD SWB                                                                                               | 242 | 161  | 191     | 9.2             | 6.1  | 7.3     | 30.7            | 46.3 | 38.7    |       | 2038             | 2990 | 952     | 2084 | 1182.0  | 714.0   | 5490.0 | 2500       |      |
| 300S 2.0TD170 T6.2 M6 FWD SWB                                                                                              | 268 | 170  | 204     | 10.2            | 6.5  | 7.8     | 27.7            | 43.5 | 36.2    |       | 2075             | 3020 | 945     | 2121 | 1215.0  | 718.0   | 5520.0 | 2500       |      |
| 320S 2.0TD170 T6.2 A8 4WD SWB                                                                                              | 291 | 188  | 225     | 11.1            | 7.2  | 8.6     | 25.4            | 39.2 | 32.8    |       | 2173             | 3225 | 1052    | 2221 | 1269.0  | 764.0   | 5725.0 | 2500       |      |
| 320S 2.5 232 T6.2P CT FWD SWB                                                                                              | 39  |      |         | 1.7             |      |         |                 |      |         | 166.2 | 32               | 2183 | 3225    | 1040 | 2231    | 1241.0  | 802.0  | 5225.0     | 2300 |
| 320S 65KWH160 ZECT RWD SWB                                                                                                 |     |      |         |                 |      |         |                 |      |         | 2.56  | 190              | 2305 | 3220    | 915  | 2351    | 1062.0  | 1130.0 | 5350.0     | 2300 |
| MS-RT                                                                                                                      |     |      |         |                 |      |         |                 |      |         |       |                  |      |         |      |         |         |        |            |      |
| 300S 2.0TD150 T6.2 M6 FWD SWB                                                                                              | 246 | 180  | 213     | 9.4             | 6.9  | 8.1     | 30.1            | 40.9 | 34.9    |       | 2056             | 2990 | 934     | 2076 | 1030.0  | 1055.0  | 5490.0 | 2500       |      |
| 300S 2.0TD170 T6.2 A8 FWD SWB                                                                                              | 275 | 194  | 231     | 10.5            | 7.4  | 8.8     | 26.9            | 38.2 | 32.1    |       | 2093             | 3020 | 927     | 2113 | 1237.0  | 689.0   | 5520.0 | 2500       |      |
| 320S 2.0TD170 T6.2 A8 4WD SWB                                                                                              | 280 | 198  | 235     | 10.7            | 7.6  | 9       | 26.4            | 37.2 | 31.4    |       | 2191             | 3225 | 1034    | 2213 | 1209.0  | 727.0   | 5725.0 | 2500       |      |
| 320S 2.5 323 T6.2P CT FWD SWB                                                                                              | 52  |      |         | 2.3             |      |         |                 |      |         | 122.8 | 29               | 2203 | 3225    | 1022 | 2223    | 1062.0  | 1130.0 | 5225.0     | 2300 |
| 320S 65KWH210 ZECT RWD SWB                                                                                                 |     |      |         |                 |      |         |                 |      |         |       | 171              | 2323 | 3215    | 892  | 2343    | 1241.0  | 802.0  | 5350.0     | 2300 |

| Custom DCIV L2 - DCIV Low Roof Technical Data                                                                              |     |      |         |                 |      |         |                 |      |         |      |                  |       |         |      |         |         |        |            |        |
|----------------------------------------------------------------------------------------------------------------------------|-----|------|---------|-----------------|------|---------|-----------------|------|---------|------|------------------|-------|---------|------|---------|---------|--------|------------|--------|
| Warranty - 100,000 miles or 3 years - Service Intervals - ICE and PHEV - 2 years/25k miles EV - 2 years/Unlimited Distance |     |      |         |                 |      |         |                 |      |         |      |                  |       |         |      |         |         |        |            |        |
| LWB Van                                                                                                                    | CO2 |      |         | Fuel Efficiency |      |         | MP G_Mile / kWh |      |         | AER  | Weight and Loads |       |         |      |         |         | Towing |            |        |
|                                                                                                                            | Low | High | Overall | Low             | High | Overall | Low             | High | Overall |      | Kerb             | GVM   | Payload | MIRO | FR Axle | RR Axle | GTM    | Max Braked |        |
| Leader                                                                                                                     |     |      |         |                 |      |         |                 |      |         |      |                  |       |         |      |         |         |        |            |        |
| 280L 2.0TD110 T6.2 M6 FWD LWB                                                                                              | 234 | 158  | 187     | 8.9             | 6.0  | 7.1     | 31.7            | 47.1 | 39.8    |      | 1971             | 2845  | 874     | 2027 | 1230.0  | 712.0   | 4845.0 | 2000       |        |
| 300L 2.0TD110 T6.2 M6 FWD LWB                                                                                              | 238 | 159  | 189     | 9.1             | 6.1  | 7.2     | 31.0            | 46.3 | 39.2    |      | 1976             | 3025  | 1049    | 2032 | 1235.0  | 712.0   | 5025.0 | 2000       |        |
| 320L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 241 | 160  | 190     | 9.2             | 6.1  | 7.3     | 30.7            | 46.3 | 38.7    |      | 1976             | 3225  | 1249    | 2032 | 1235.0  | 712.0   | 5725.0 | 2500       |        |
| Trend                                                                                                                      |     |      |         |                 |      |         |                 |      |         |      |                  |       |         |      |         |         |        |            |        |
| 280L 2.0TD110 T6.2 M6 FWD LWB                                                                                              | 234 | 159  | 187     | 8.9             | 6.0  | 7.1     | 31.7            | 47.1 | 39.8    |      | 1995             | 2845  | 851     | 2072 | 1230.0  | 712.0   | 4845.0 | 2000       |        |
| 280L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 234 | 159  | 187     | 8.9             | 6.1  | 7.2     | 31.7            | 46.3 | 39.2    |      | 1995             | 2845  | 851     | 2072 | 1230.0  | 712.0   | 5345.0 | 2500       |        |
| 280L 2.0TD136 T6.2 A8 FWD LWB                                                                                              | 265 | 168  | 201     | 10.1            | 6.4  | 7.7     | 28.0            | 44.1 | 36.7    |      | 2033             | 2845  | 813     | 2110 | 1263.0  | 717.0   | 5345.0 | 2500       |        |
| 300L 2.0TD110 T6.2 M6 FWD LWB                                                                                              | 239 | 159  | 189     | 9.1             | 6.1  | 7.2     | 31.0            | 46.3 | 39.2    |      | 2000             | 3025  | 1026    | 2077 | 1235.0  | 712.0   | 5025.0 | 2000       |        |
| 300L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 239 | 159  | 189     | 9.1             | 6.1  | 7.2     | 31.0            | 46.3 | 39.2    |      | 2000             | 3025  | 1026    | 2077 | 1235.0  | 712.0   | 5525.0 | 2500       |        |
| 300L 2.0TD136 T6.2 A8 FWD LWB                                                                                              | 265 | 168  | 202     | 10.1            | 6.4  | 7.7     | 28.0            | 44.1 | 36.7    |      | 2038             | 3025  | 988     | 2115 | 1268.0  | 717.0   | 5525.0 | 2500       |        |
| 320L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 242 | 161  | 191     | 9.2             | 6.1  | 7.3     | 30.7            | 46.3 | 38.7    |      | 2000             | 3225  | 1226    | 2077 | 1235.0  | 712.0   | 5725.0 | 2500       |        |
| 320L 2.0TD136 T6.2 A8 4WD LWB                                                                                              | 268 | 170  | 203     | 10.2            | 6.5  | 7.8     | 27.7            | 43.5 | 36.2    |      | 2038             | 3225  | 1188    | 2115 | 1268.0  | 717.0   | 5725.0 | 2500       |        |
| 320L 2.5 232 T6.2P CT FWD LWB                                                                                              |     |      |         | 38              |      |         |                 | 1.7  |         |      |                  | 166.2 | 33      | 2148 | 3225    | 1078    | 2225   | 1311.0     | 784.0  |
| 320L 65kWh100 ZE CT RWD LWB                                                                                                |     |      |         |                 |      |         |                 |      |         | 2.75 | 200              | 2295  | 3225    | 913  | 2343    | 1143.0  | 1099.0 | 5350.0     | 2300   |
| Limited                                                                                                                    |     |      |         |                 |      |         |                 |      |         |      |                  |       |         |      |         |         |        |            |        |
| 280L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 238 | 162  | 191     | 9.1             | 6.2  | 7.3     | 31.0            | 45.6 | 38.7    |      | 2076             | 2845  | 769     | 2130 | 1230.0  | 712.0   | 5345.0 | 2500       |        |
| 280L 2.0TD136 T6.2 A8 FWD LWB                                                                                              | 270 | 171  | 205     | 10.3            | 6.5  | 7.8     | 27.4            | 43.5 | 36.2    |      | 2114             | 2845  | 731     | 2168 | 1263.0  | 717.0   | 5345.0 | 2500       |        |
| 300L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 244 | 162  | 193     | 9.3             | 6.2  | 7.4     | 30.4            | 45.6 | 38.2    |      | 2081             | 3025  | 944     | 2135 | 1235.0  | 712.0   | 5525.0 | 2500       |        |
| 300L 2.0TD136 T6.2 A8 FWD LWB                                                                                              | 270 | 172  | 206     | 10.3            | 6.6  | 7.8     | 27.4            | 42.8 | 36.2    |      | 2119             | 3025  | 906     | 2173 | 1268.0  | 717.0   | 5525.0 | 2500       |        |
| 300L 2.0TD150 T6.2 M6 FWD LWB                                                                                              | 244 | 162  | 193     | 9.3             | 6.2  | 7.4     | 30.4            | 45.8 | 38.2    |      | 2081             | 3025  | 944     | 2135 | 1235.0  | 712.0   | 5525.0 | 2500       |        |
| 300L 2.0TD170 T6.2 A8 FWD LWB                                                                                              | 270 | 172  | 206     | 10.3            | 6.6  | 7.8     | 27.4            | 42.8 | 36.2    |      | 2119             | 3025  | 906     | 2173 | 1268.0  | 717.0   | 5525.0 | 2500       |        |
| 320L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 247 | 164  | 194     | 9.4             | 6.3  | 7.4     | 30.1            | 44.8 | 38.2    |      | 2081             | 3225  | 1144    | 2135 | 1235.0  | 712.0   | 5725.0 | 2500       |        |
| 320L 2.0TD136 T6.2 A8 FWD LWB                                                                                              | 272 | 173  | 207     | 10.4            | 6.6  | 7.9     | 27.2            | 42.8 | 35.8    |      | 2119             | 3225  | 1106    | 2173 | 1268.0  | 717.0   | 5725.0 | 2500       |        |
| 320L 2.0TD150 T6.2 M6 FWD LWB                                                                                              | 247 | 164  | 194     | 9.4             | 6.3  | 7.4     | 30.1            | 44.8 | 38.2    |      | 2081             | 3225  | 1144    | 2135 | 1235.0  | 712.0   | 5725.0 | 2500       |        |
| 320L 2.0TD170 T6.2 A8 FWD LWB                                                                                              | 272 | 173  | 207     | 10.4            | 6.6  | 7.9     | 27.2            | 42.8 | 35.8    |      | 2119             | 3225  | 1106    | 2173 | 1268.0  | 717.0   | 5725.0 | 2500       |        |
| 320L 2.5 232 T6.2P CT FWD LWB                                                                                              |     |      |         | 40              |      |         |                 | 1.8  |         |      |                  | 156.2 | 32      | 2229 | 3225    | 996     | 2283   | 1311.0     | 784.0  |
| 320L 65k Wh100 ZE CT RWD LWB                                                                                               |     |      |         |                 |      |         |                 |      |         | 2.70 | 195              | 2347  | 3225    | 878  | 2401    | 1143.0  | 1099.0 | 5350.0     | 2300   |
| Trail                                                                                                                      |     |      |         |                 |      |         |                 |      |         |      |                  |       |         |      |         |         |        |            |        |
| 320L 2.0TD136 T6.2 M6 FWD LWB                                                                                              | 247 | 164  | 195     | 9.4             | 6.3  | 7.4     | 30.1            | 44.8 | 38.2    |      | 2081             | 3225  | 1144    | 2135 | 1235.0  | 712.0   | 5725.0 | 2500       |        |
| 320L 2.0TD150 T.2 M6 FWD LWB                                                                                               | 247 | 164  | 195     | 9.4             | 6.3  | 7.4     | 30.1            | 44.8 | 38.2    |      | 2081             | 3225  | 1144    | 2135 | 1235.0  | 712.0   | 5725.0 | 2500       |        |
| 320L 2.0TD170 T6.2 A8 4WD LWB                                                                                              | 291 | 189  | 225     | 11.1            | 7.2  | 8.6     | 25.4            | 39.2 | 32.8    |      | 2216             | 3225  | 1009    | 2272 | 1307.0  | 777.0   | 5725.0 | 2500       |        |
| Sport                                                                                                                      |     |      |         |                 |      |         |                 |      |         |      |                  |       |         |      |         |         |        |            |        |
| 300L 2.0TD150 T6.2M6 FWD LWB                                                                                               | 244 | 162  | 192     | 9.3             | 6.2  | 7.3     | 30.4            | 45.6 | 38.7    |      | 2084             | 3025  | 941     | 2130 | 1230.0  | 712.0   | 5525.0 | 2500       |        |
| 300L 2.0TD170 T6.2 M6 FWD LWB                                                                                              | 270 | 171  | 205     | 10.3            | 6.5  | 7.8     | 27.4            | 43.5 | 36.2    |      | 2122             | 3025  | 903     | 2168 | 1263.0  | 717.0   | 5525.0 | 2500       |        |
| 320L 2.0TD170 T6.2 A8 4WD LWB                                                                                              | 292 | 189  | 226     | 11.1            | 7.2  | 8.6     | 25.4            | 39.2 | 32.8    |      | 2219             | 3225  | 1006    | 2267 | 1302.0  | 777.0   | 5725.0 | 2500       |        |
| 320L 2.5 232 T6.2P CT FWD LWB                                                                                              |     |      |         | 40              |      |         |                 | 1.8  |         |      |                  | 156.9 | 32      | 2232 | 3225    | 993     | 2278   | 1306.0     | 784.0  |
| 320L 65kWh160 ZECT Rwd LWB                                                                                                 |     |      |         |                 |      |         |                 |      |         | 2.54 | 189              | 2350  | 3225    | 875  | 2396    | 1138.0  | 1099.0 | 5350.0     | 2300   |
| MS-RT                                                                                                                      |     |      |         |                 |      |         |                 |      |         |      |                  |       |         |      |         |         |        |            |        |
| 300L 2.0TD150 T6.2 M6 FWD LWB                                                                                              | 248 | 181  | 214     | 9.5             | 6.9  | 8.2     | 29.7            | 40.9 | 34.4    |      | 2102             | 3025  | 923     | 2122 | 1101.0  | 1030.0  | 5525.0 | 2500       |        |
| 300L 2.0TD170 T6.2 A8 FWD LWB                                                                                              | 277 | 196  | 232     | 10.6            | 7.5  | 8.9     | 26.6            | 37.7 | 31.7    |      | 2140             | 3025  | 885     | 2160 | 1265.0  | 707.0   | 5525.0 | 2500       |        |
| 320L 2.0TD170 T6.2 A8 4WD LWB                                                                                              | 284 | 201  | 238     | 10.8            | 7.7  | 9.1     | 26.2            | 36.7 | 31.0    |      | 2237             | 3225  | 988     | 2259 | 1268.0  | 714.0   | 5725.0 | 2500       |        |
| 320L 2.5 323 T6.2P CT FWD LWB                                                                                              |     |      |         | 52              |      |         |                 | 2.3  |         |      |                  | 122.8 | 29      | 2250 | 3225    | 975     | 2270   | 1138.0     | 1099.0 |
| 320L 65kWh210 ZECT Rwd LWB                                                                                                 |     |      |         |                 |      |         |                 |      |         | 168  | 2368             | 3225  | 857     | 2388 | 1306.0  | 784.0   | 5350.0 | 2300       |        |

# Ford Transit

**Body style** 4 (Van, DCIV, Chassis cab, Minibus, OSS range)

**Wheelbase** 3 (L2, L3, L4)

**Chassis Cab** 4 (L2, L3, L4, L5)

**Minibus seating** 11, 15, 17

**Roof height** 2 (L2, L3)

**Drive** FWD, AWD, RWD

**Powertrains** Diesel, Electric

**Transmissions** Manual, Automatic


**Series** Leader, Trend, Limited

**Production plant** Kocaeli, Turkey


SVO paint available




Agate  
Black




Blazer  
Blue




Blue  
Metallic




Frozen  
White




Grey  
Matter



Magnetic  
Grey



Moondust  
Silver



Race  
Red

| Dimensions                    |              |              |              |      |
|-------------------------------|--------------|--------------|--------------|------|
| Van                           | L2           | L3           | L4           |      |
| Wheelbase                     | 3300         | 3750         | 3750         |      |
| Overall length                | 5531         | 5981         | 6704         |      |
| Overall width with mirrors    | 2474         | 2474         | 2474         |      |
| Usable load space length      | 2990         | 3350         | 4073         |      |
| DCIV usable load space length | 1777         | 2227         | 2950         |      |
| Load space width              | 1784         | 1784         | 1784         |      |
| Overall height                | H2           | H3           |              |      |
|                               | 2490         | 2790         |              |      |
| Single Chassis Cab            | L2           | L3           | L4           | L5   |
| Wheelbase                     | 3504         | 3954         | 3954         | 4522 |
| Chassis frame length          | 3142         | 3592         | 4149         | 5147 |
| Overall vehicle length        | 5572         | 6022         | 6579         | 7577 |
| Double Chassis Cab            |              | L3           | L4           | L5   |
| Wheelbase                     |              | 3954         | 3954         | 4522 |
| Chassis frame length          |              | 2777         | 3159         | 4149 |
| Overall vehicle length        |              | 6022         | 6404         | 7394 |
| Bus                           | L2 (11 Seat) | L3 (15 Seat) | L4 (17 Seat) |      |
| Wheelbase                     | 3300         | 3750         | 3750         |      |
| Overall length                | 5531         | 5981         | 6704         |      |
| Overall width with mirrors    | 2474         | 2474         | 2474         |      |
| Overall height                | H2           | H3           | H3           |      |
|                               | 2489         | 2756         | 2674         |      |

Detailed data sheets are available

| Weight and loads - summary |        |       |       |
|----------------------------|--------|-------|-------|
| Van                        | From   | To    | Max   |
| Fuel consumption - MPG     | 31     | 39    |       |
| Payloads - kg              | 879    | 2483  |       |
| Maximum towing - kg        |        |       | 3500  |
| Chassis Cab                | From   | To    | Max   |
| Fuel consumption - MPG     | 24     | 34    |       |
| Payloads - kg              | 911    | 3024  |       |
| Maximum towing - kg        |        |       | 3500  |
| Minibus                    | Length | Seats | Drive |
|                            | L2     | 11/12 | RWD   |
|                            | L3     | 14/15 | RWD   |
|                            | L4     | 17/18 | RWD   |

Detailed data sheets are available




# Ford Ranger



|                     |                                                    |
|---------------------|----------------------------------------------------|
| Body style          | 2 (Regular and Double Cab)                         |
| Wheelbase           | 1                                                  |
| Roof height         | 1                                                  |
| Drive               | RWD, selectable AWD – high low range               |
| Powertrains         | Diesel, PHEV                                       |
| Transmissions       | Manual, Automatic,                                 |
| AWD Option          | Yes                                                |
| Series              | XL, XLT, Tremor, Wildtrak, Platinum, MS-RT, Raptor |
| Production plant    | Silverton, South Africa                            |
| SVO paint available |                                                    |



Agate  
Black




Blue  
Lighting




Carbonised  
Grey




Conquer  
Grey




Cyber  
Orange



Frozen  
White



Iconic  
Silver



Lucid  
Red

| Body Style         | Marketing Level | Engine                   | Transmission       | Fuel   | Payload (kg) | Gvm (kg) | Max Towing (kg) | Drive  |
|--------------------|-----------------|--------------------------|--------------------|--------|--------------|----------|-----------------|--------|
| XL                 |                 |                          |                    |        |              |          |                 |        |
| Single Chassis Cab | XL              | 2.0L TD EcoBlue 170PS    | 6-speed manual     | Diesel | 1354         | 3190     | 3500            | 4WD PT |
| Single Cab         | XL              | 2.0L TD EcoBlue 170PS    | 6-speed manual     | Diesel | 1197         | 3190     | 3500            | 4WD PT |
| Double Cab         | XL              | 2.0L TD EcoBlue 170PS    | 6-speed manual     | Diesel | 1066         | 3190     | 3450            | 4WD PT |
| XLT                |                 |                          |                    |        |              |          |                 |        |
| Double Cab         | XL T            | 2.0L TD EcoBlue 170PS    | 6-speed manual     | Diesel | 1081         | 3230     | 3420            | 4WD PT |
| Double Cab         | XL T            | 2.3 TIVCT EcoBlue 281PS  | 10-speed automatic | PHEV*  | 1049         | 3500     | 3500            | 4WD FT |
| Tremor             |                 |                          |                    |        |              |          |                 |        |
| Double Cab         | Tremor          | 2.0L TD EcoBlue 205PS    | 10-speed automatic | Diesel | 1039         | 3320     | 3500            | 4WD FT |
| Wildtrak           |                 |                          |                    |        |              |          |                 |        |
| Double Cab         | Wildtrak        | 2.0L TD EcoBlue 205PS    | 10-speed automatic | Diesel | 1039         | 3280     | 3500            | 4WD FT |
| Double Cab         | Wildtrak        | 3.0L TD EcoBlue V6 240PS | 10-speed automatic | Diesel | 1055         | 3350     | 3500            | 4WD FT |
| Double Cab         | Wildtrak        | 2.3 TIVCT EcoBlue 281PS  | 10-speed automatic | PHEV*  | 1043         | 3500     | 3500            | 4WD FT |
| Wildtrak X         |                 |                          |                    |        |              |          |                 |        |
| Double Cab         | Wildtrak        | 2.0L TD EcoBlue 205PS    | 10-speed automatic | Diesel | 1056         | 3350     | 3500            | 4WD FT |
| Platinum           |                 |                          |                    |        |              |          |                 |        |
| Double Cab         | Platinum        | 3.0L TD EcoBlue V6 240PS | 10-speed automatic | Diesel | 1047         | 3350     | 3500            | 4WD FT |
| MS-RT              |                 |                          |                    |        |              |          |                 |        |
| Double Cab         | MS-RT           | 3.0L TD EcoBlue V6 240PS | 10-speed automatic | Diesel | 1025         | 3350     | 3500            | 4WD FT |
| Stormtrak          |                 |                          |                    |        |              |          |                 |        |
| Double Cab         | Stormtrak       | 2.3 TIVCT EcoBoost 281PS | 10-speed automatic | PHEV*  | 1046         | 3500     | 3500            | 4WD FT |

# Ranger

## For Diesel Vehicles

1 The test used to establish fuel consumption and CO2 figures has changed to deliver results that are more representative of real life driving. The Worldwide Harmonised Light Vehicle Test Procedure (WLTP) has replaced the old NEDC test. The Fuel Consumption figures shown are derived from the new WLTP test. The table shows the fuel consumption (WLTP) figures for each available engine on the Ranger. These figures may not reflect real life driving results, which will depend upon a number of factors including the accessories fitted, variations in weather, driving styles and vehicle load.

2 These figures were obtained using a combination of battery power and fuel. The Ranger PHEV is a plug-in hybrid vehicle requiring mains electricity for charging.

The figures shown are for comparability purposes; only compare fuel consumption and CO2 figures with other vehicles tested to the same technical procedures.\* When ordering PHEV models, you should select the appropriate Styling Pack at point of order to ensure the vehicle is delivered to the advertised specification.



| Body Style         | WLTP (Mpg) |           | WLTP (l/100 KM) |           | CO2 (g/km) <sup>1</sup> | WLTP Overall                 | MPG   |
|--------------------|------------|-----------|-----------------|-----------|-------------------------|------------------------------|-------|
|                    | Fuel Low   | Fuel High | Fuel Low        | Fuel High |                         | Fuel (l/100 km) <sup>1</sup> |       |
| XL                 |            |           |                 |           |                         |                              |       |
| Single Chassis Cab | N/A        | N/A       | N/A             | N/A       | N/A                     | N/A                          | N/A   |
| Single Cab         | 32.47      | 37.67     | 8.70            | 7.50      | 220                     | 8.40                         | 33.63 |
| Double Cab         | 32.10      | 37.67     | 8.80            | 7.50      | 222                     | 8.50                         | 33.23 |
| XLT                |            |           |                 |           |                         |                              |       |
| Double Cab         | 31.74      | 37.67     | 8.90            | 7.50      | 222                     | 8.50                         | 33.23 |
| Double Cab         |            |           |                 |           |                         |                              |       |
| Tremor             |            |           |                 |           |                         |                              |       |
| Double Cab         | 23.35      | 31.74     | 12.1            | 8.9       | 270                     | 10.30                        | 27.43 |
| Wildtrak           |            |           |                 |           |                         |                              |       |
| Double Cab         | 26.65      | 38.18     | 10.60           | 7.40      | 230                     | 8.80                         | 32.10 |
| Double Cab         | 22.42      | 32.47     | 12.60           | 8.70      | 264                     | 10.10                        | 27.97 |
| Double Cab         |            |           |                 |           |                         |                              |       |
| Wildtrak X         |            |           |                 |           |                         |                              |       |
| Double Cab         | 23.35      | 31.39     | 12.1            | 9.0       | 271                     | 10.30                        | 27.43 |
| Platinum           |            |           |                 |           |                         |                              |       |
| Double Cab         | 22.42      | 32.47     | 12.60           | 8.70      | 266                     | 10.10                        | 27.97 |
| MS-RT              |            |           |                 |           |                         |                              |       |
| Double Cab         | 21.40      | 30.71     | 13.20           | 9.20      | 277                     | 10.60                        | 26.65 |
| Stormtrak          |            |           |                 |           |                         |                              |       |
| Double Cab         |            |           |                 |           |                         |                              |       |

| Body Style         | WLTP Weighted2 (For PHEV) |                              |       |                                         |                                       |
|--------------------|---------------------------|------------------------------|-------|-----------------------------------------|---------------------------------------|
|                    | CO2 (g/km) <sup>1</sup>   | Fuel (l/100 km) <sup>1</sup> | MPG   | Electric Energy Consumption (kWh/100km) | Equivalent All-Electric Range (miles) |
| <b>XL</b>          |                           |                              |       |                                         |                                       |
| Single Chassis Cab |                           |                              |       |                                         |                                       |
| Single Cab         |                           |                              |       |                                         |                                       |
| Double Cab         |                           |                              |       |                                         |                                       |
| <b>XLT</b>         |                           |                              |       |                                         |                                       |
| Double Cab         |                           |                              |       |                                         |                                       |
| Double Cab         | 71                        | 3.1                          | 91.12 | 23.3                                    | 25                                    |
| <b>Tremor</b>      |                           |                              |       |                                         |                                       |
| Double Cab         |                           |                              |       |                                         |                                       |
| <b>Wildtrak</b>    |                           |                              |       |                                         |                                       |
| Double Cab         |                           |                              |       |                                         |                                       |
| Double Cab         |                           |                              |       |                                         |                                       |
| Double Cab         | 68                        | 3.0                          | 94.16 | 23                                      | 26                                    |
| <b>Wildtrak X</b>  |                           |                              |       |                                         |                                       |
| Double Cab         |                           |                              |       |                                         |                                       |
| <b>Platinum</b>    |                           |                              |       |                                         |                                       |
| Double Cab         |                           |                              |       |                                         |                                       |
| <b>MS-RT</b>       |                           |                              |       |                                         |                                       |
| Double Cab         |                           |                              |       |                                         |                                       |
| <b>Stormtrak</b>   |                           |                              |       |                                         |                                       |
| Double Cab         | 68                        | 3.0                          | 94.16 | 23                                      | 26                                    |

# Ranger

## For Plug-In Hybrid (PHEV) Vehicles

The declared Fuel/Energy Consumptions, CO2-Emissions and Electric range are determined according to the technical requirements and specifications of the European Regulations (EC) 715/2007 and (EU) 2017/1151 as last amended. Light Duty Vehicles type-approved using the World Harmonised Light Vehicle Test Procedure (WLTP) have Fuel/Energy Consumptions and CO2-Emission information for both New European Drive Cycle (NEDC) and WLTP. WLTP is a new, more realistic test procedure for measuring fuel consumption and CO2 emissions and will fully replace the NEDC latest by end of the year 2020. The applied standard test procedure enables comparison between different vehicle types and different manufacturers. In addition to the fuel efficiency of a car, driving behaviour as well as other non-technical factors play a role in determining a car's fuel/energy consumption, CO2 emissions and electric range. CO2 is the main greenhouse gas responsible for global warming. A guide on fuel economy and CO2 emissions which contain data for all new passenger car models is available at any point of sale free of charge or can be downloaded under <http://carfueldata.dft.gov.uk>. are based on tests conducted on vehicles with standard wheels and tyres. Optional or Accessory wheels and tyres may have an effect on the emissions or fuel consumption of a vehicle. For further information on CO2 and fuel performance please refer to the vehicle brochure.



